



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

ANALYSIS OF SALT.

By G. E. Patrick, Prof. of Chemistry and Physics, in University of Kansas.

The purity of Kansas Salt, although its manufacture is a new industry in the State, has already been the subject of considerable remark. While it is very improbable that all the brines of the State will furnish salt of remarkable purity, yet it is worthy of notice, as a promising fact, that of those thus far examined, nearly every one has yielded a salt of most excellent quality.

To the number of such brines already known, I have one to add. The sample was from Great Bend, Barton county, and was taken from a well, at a depth of about four feet below the surface of the ground. Collected by Prof. B. F. Mudge. It was clear and sparkling, and very nearly free from calcium and magnesium carbonates, which when present in quantity are troublesome, from the fact of their deposition upon boiling, in the form of "scale."

It showed a specific gravity of 1.062 or 8.8 Baume—a great density considering that it was almost a surface water. Its contents of pure salt was one bushel, to about 95 gallons of the brine.

I have analyzed two samples of salt made from this brine, the samples being taken from salt made at different times, as a check against untrustworthy results, from accidental impurity or excessive purity.

Both salts were made with no extra precautions to insure purity, and fairly represent the quality of the marketable article for table use.

They gave upon analysis:

	No. 1	No. 2.
Sodium Chloride	96.24	96.06
Magnesium Chloride	1.22	1.56
Sodium Sulphate	1.65	1.87
Calcium Sulphate89	.51
	— — —	— — —
	100.00	100.00

The entire absence of calcium chloride is a merit of this salt not to be overlooked.

CALAMITES.

By M. V. B. Knox, Professor of Natural Science, Baker University.

In the soft sandstone on the banks of a creek about two and one-half miles southwest of Baldwin, are found Calamites in great numbers. The quarry is west of the Dr. Cowgill farm, at the crossing of the main road from Prairie City, over a small branch of Tahwo Creek. The Calamites are found in greatest abundance and of best quality a little north of the bridge, on the west bank.

During the winter of 1873-4, while passing down this creek in search of specimens, I noticed some Calamites cropping out of the rock, and afterwards succeeded in securing a few fine ones, but did not work the quarry